

REDBACK

FITTING INSTRUCTIONS

TLX46640-PR

REDBACK EXTREME DUTY TWIN 4" TURBO BACK EXHAUST FOR 79 SERIES DUAL CAB



IN THIS GUIDE Fitting Instructions / Warranty Info

SPECIFICATIONS Single 4" Dump Pipe to Dual 4"

FITTING INSTRUCTIONS

BEFORE YOU START

- Ensure the vehicle has cooled down before any work commences.
- Use the exhaust mounts provided in the fitting kit, failure to do so may cause fitting issues.
- Check you have received all the parts required prior to removing your factory exhaust including your sound option. If you are missing any parts, please do not proceed.
Contact Redback Support via sales@redbackexhausts.com.au

DURING FITMENT

- On the initial fit of your exhaust, fit all the parts loosely to ensure the exhaust is correctly aligned.
- Use exhaust silicone between gaskets (both sides) and flanges. Fit gaskets between flanges.
- Using an exhaust hanger removal tool and silicon-based lubricant is recommended.

EXHAUST MAINTENANCE AND CARE

- It is recommended that you regularly clean your exhaust to extend its life span.
- We also recommended touching up your Redback Exhaust to maintain the improved aesthetic with heat proof extreme duty paint.

Ensure that the fitting instructions are read and understood prior to fitment.

FITTING INSTRUCTIONS

STEP-BY-STEP INSTRUCTIONS


1. Remove the engine pipe from the vehicle.
2. Remove the engine pipe mount bracket from the gearbox, retaining all standard bolts.
3. Remove All Three Studs from the Turbo Charger.
4. Fit the replacement rubber exhaust hangers.
5. Fit Adaptor Flange and Turbo Gasket to Turbo Charger using supplied Cap Screws.
6. Attach the engine pipe to the Adaptor plate.
7. Reattach the removed engine pipe bracket to the engine pipe using the standard bolts, tightening finger-tight.
8. Secure the engine pipe bracket gearbox bolts to the gearbox and tighten fingertight.
9. Attach the exhaust temperature and O2 sensor plugs to the engine pipe..
10. Remove the rear tail pipe and muffler assembly.
11. Remove the intermediate pipe from the vehicle
12. Attach the right-hand side tail pipe support bracket to the towbar mount holes. Use spacers if the vehicle lacks a towbar.
13. Fit the intermediate Y pipe
14. Remove the large grey connector from its original mounting near the driver's side fuel tank, securing it to the wiring loom above with cable ties
15. Reinstall the previously removed O2 sensor
16. Fit the exhaust temperature sensor plugs to the first intermediate Y pipe.
17. Connect the second intermediate pipe to the first using eight M8x1.25x35mm bolts and flat washers. Tighten nuts finger-tight.
18. Attach the muffler to the second intermediate pipe using only the top four flange bolt holes, securing with M8x1.25x35mm bolts and washers. Tighten nuts fingertight.
19. Install the supplied bracket mount to the lower muffler flange bolt holes with four M8x1.25x40mm bolts and washers. Tighten nuts finger-tight. Attach the rubber isolator to the bracket and mount it to the vehicle
20. Install the rear intermediate pipe using four M8x1.25x35mm bolts and washers. Tighten nuts finger-tight.
21. Fit the driver's rear intermediate pipe with four M8x1.25x35mm bolts and washers. Tighten nuts finger-tight.
22. Attach the rear tail pipes to the rear intermediate pipe with eight M8x1.25x35mm bolts and washers. Tighten nuts finger-tight.
23. Adjust tail pipes for suspension and toolbox clearance
24. Tighten all bolts and nuts from front to back of the vehicle.
25. Check for exhaust leaks.

FITTING INSTRUCTIONS



REDBACK

FITTING INSTRUCTIONS



REDBACK

FITTING INSTRUCTIONS

REDBACK 4X4 EXTENDED WARRANTY

Redback 4x4 offers our customers peace of mind with the assurance of our commitment to providing superior quality products backed up by exceptional customer service.

Each Redback 4x4 Exhausts product carries a 5-year warranty. An extended 10-year warranty is available for all Redback Extreme Duty Exhaust purchases made online via the redback4x4.com.au website or from an Authorised Redback 4x4 Dealer.

You are also eligible for an extended 10-year warranty if you register your Redback Extreme Duty Exhaust purchase using our online Warranty Registration Form below.

In the unlikely event you experience an issue with one of our products, please call us on 1300 351 730 or email sales@redbackexhausts.com.au.

We will need photos of the part to help us understand and resolve the issue.

Photos can be emailed to sales@redbackexhausts.com.au . Please include a photo of your original purchase invoice to validate the date of your purchase.